

SECO THERMOSTAT


Gas/electric 24 volt, heating, cooling mercury switch, ivory color

AC 3050

SECO HEAT PUMP THERMOSTAT

2 stage heat, 1 stage cool, 24 volt, manual change over, ivory color.


AC 3054



SECO VERTICAL THERMOSTAT

24 volt heating and cooling. Ivory color

AC 3052



WHITE RODGERS THERMOSTAT


24 volt heating and cooling. Ivory color

AC 3056

WHITE RODGERS HEAT PUMP THERMOSTAT

24 volt, 2 stage heat, 1 stage cool. Manual changeover. Emergency & auxiliary heat indicator lights.

AC 3057



DIGITAL THERMOSTAT

Single stage heat/ cool, compatible with gas, oil, electric or millivolt. Mercury free, non-programmable digital t-stat.

AC 3050D

DIGITAL HEAT PUMP THERMOSTAT

24 volt, 2 stage heat, 1 stage cool. Mercury free, non-programmable digital t-stat.

AC 3054D



PROGRAMMABLE THERMOSTAT

24 volt, 5-2 day, 1 heat / 1 cool, gas or electric heat

AC 3059



T-STAT GUARD

Clear, durable plastic for easy viewing of thermostat.

AC 3060



THERMOSTAT WIRE

AC 3065 2 Strand wire


AC 3066 4 Strand wire

AC 3067 5 Strand wire

AC 3068 6 Strand wire

AC 3069 8 Strand wire


Each size is sold by the roll.



AIR HANDLER STAND

AC 3898

AC 3899 R/A



R/A Stands

AIR HANDLER DRAIN PANS

AC 3774 A-30

AC 3778 19 X 24

AC 3776 21 X 15

AC 3780 24 X 24




CONDENSER PADS

AC 3799 24 X 24

AC 3799A 30 X 30

AC 3799AB 36 X 36




GOODMAN CONDENSERS

10 YEAR LIMITED WARRANTY

ON ALL PARTS


- * Louvered guard protects coil from damage and adds strength to the unit
- * Bottom pan rails elevate unit above slab
- * Copper tube, aluminum fin coil construction
- * Brass suction and liquid shut off valve with sweat connections
- * Quiet operating
- * Totally enclosed and permanently lubricated condenser motor
- * Factory installed liquid line filter dryer
- * Hermetically sealed compressor with internal high pressure relief



TONAGE	BTU	HEIGHT	WIDTH	DEPTH	LIQUID LINE	SUCTION LINE	PART #
1.5	17,000	32."	29"	29"	3/8"	3/4"	AC 3800L
2.0	23,000	32"	29"	29"	3/8"	3/4"	AC 3801L
2.5	27,200	34 3/4"	29"	29"	3/8"	3/4"	AC 3802L
3.0	34,000	34 1/4"	29"	29"	3/8"	3/4"	AC 3803L
3.5	40,000	32 1/4"	29"	29"	3/8"	7/8"	AC 3803A
4.0	45,000	34.5"	29"	29"	3/8"	7/8"	AC 3804
5.0	56,000	34 1/4"	35.5"	35.5"	3/8"	7/8"	AC 3805
1.5 HP	17,400	32"	29"	29"	3/8"	3/4"	AC 3809L
2.0 HP	22,800	32"	29"	29"	3/8"	3/4"	AC 3810L
2.5 HP	28,600	34 3/4"	29"	29"	3/8"	3/4"	AC 3812L
3.0 HP	34,000	34 1/4"	29"	29"	3/8"	3/4"	AC 3813L
3.5 HP	41,000	32 1/4"	29"	29"	3/8"	7/8"	AC 3813HP
4.0 HP	48,000	34 1/4"	29"	29"	3/8"	7/8"	AC 3814
5.0 HP	57,000	34 1/4"	35.5"	35.5"	3/8"	7/8"	AC 3815


GOODMAN AIR HANDLERS

**10 YEAR LIMITED WARRANTY
ON ALL PARTS**




Compact, multi-position (up flow,
horizontal or down flow) air handler.
PART # AC 3900 - AC 3907

Vertical wall mount air handler.
PART # AC 3910 - AC 3913



TONAGE	HEIGHT	WIDTH	DEPTH	HEAT STRIP	PART #
1.5	41.125"	22"	15.5"	Needed	AC 3900
2	41.125"	22"	15.5"	Needed	AC 3901
2.5	41.125"	22"	15.5"	Needed	AC 3902
3	46.75"	22"	19.5"	Needed	AC 3903
3.5	46.75	22"	19.5"	Needed	AC 3904
4	53.25"	24"	22"	Needed	AC 3905
5	53.25"	24"	22"	Needed	AC 3907
1.5	36"	20 3/16"	16 1/8"	Included	AC 3910
2	36"	20 3/16"	16 1/8"	Included	AC 3911
2.5	36"	20 3/16"	16 1/8"	Included	AC 3912
3	36"	24"	21"	Included	AC 3913

HEAT STRIPS




DESCRIPTION	PART #
5 KW	AC 3874
8 KW	AC 3875
10 KW	AC 3876
8 KW PACKAGE	AC 3877
10 KW PACKAGE	AC 3878

GOODMAN PACKAGE UNITS

10 YEAR LIMITED WARRANTY ON ALL PARTS

- * Convenient access panel
- * Two speed evaporator motor
- * Quiet operating
- * Copper tube, aluminum fin coil
- * Totally enclosed, permanently lubricated condenser fan motor
- * Hermetically sealed compressor with internal relief valve
- * Fully charged R-22 system
- * Liquid line filter drier
- * High efficiency performance
- * Bottom pan rails elevate the unit above the slab




TONAGE	BTU	HEIGHT	WIDTH	DEPTH	PART #
2.0	23,200	27.12"	56.35"	24.14"	AC 3890
2.5	28,400	27.12"	56.35"	24.14"	AC 3891
3.0	35,000	27.12"	56.35"	24.14"	AC 3892
3.5	42,000	29.62"	63.15"	32.15"	AC 3893
4.0	46,000	29.62"	63.15"	32.15"	AC 3894
5.0	58,000	34.62"	63.15"	32.15"	AC 3895

**IF YOU DON'T SEE WHAT
YOU WANT, ASK! WE MAY
HAVE IT.**

EVAPORATOR MOTOR 3SPEED


115 VOLT 5 5/8" DIA
REV. ROTATION 1/4 HP

AC 3645



CONDENSER MOTOR ENCLOSED


208/230 VOLT 5 5/8" DIA.
1075 RPM.
REV. ROTATION



AC 3603 1/3 HP.
AC 3604 1/4 HP.
AC 3605 1/2 HP.

EVAPORATOR MOTOR 3 SPEED

208/230 VOLT 5 5/8" DIA.
1075 RPM.
REV. ROTATION




AC 3641 1/3 HP
AC 3639 1/2 HP
AC 3642 1/4 HP
AC 3651 3/4 HP

UTILITY MOTOR

3,3" DIA. 5/16"X3" SHAFT
115 VOLT
1550 RPM.
ROTATION CW


AC 3647



CARRIER MOTOR


230V
1625 RPM
ROTATION CW

AC 3637




MOTOR 5"

208/230V CW. 1100 RPM

**AC 3893****BELT DRIVE MOTOR**1725 RPM
115V—REV**AC 3893****DOUBLE SHAFT 5" DIA.**3 SPD. 1/8 HP.
115V. 1550 RPM**AC 3613 115V.**
AC 3611 230V.**UTILITY FAN MOTOR**115V. 1/4 HP.
1100 RPM.—REV**AC 3625****5 1/2" DOUBLE SHAFT**

230 V. 1075 RPM.

**AC 3616****5" MOTOR 690****AC 3668****MOTOR FLEX MOUNT**


230 V. 1075 RPM.

**AC 3683 1/4 HP**
AC 3684 1/3 HP

CASE COIL

(Call with size)


AC 3897



COMPRESSORS


LARGER TONNAGE AVAILABLE

TONAGE	VOLTS	PART #
1.5	208-230	AC 3700
2	208-230	AC 3710
2.5	208-230	AC 3711
3	208-230	AC 3713
3.5	208-230	AC 3714




BLOWER WHEEL

Direct drive blower- double inlet. (Call with size)




AC 3468

BLADE HUB




AC 3482

BLADE PULLER





AC 3344

RAIN SHIELD 5 5/8



AC 3484



END BRACKET KIT**AC 3486****FLEX MOUNT BAND****AC 3485**

5 5/8" belly band for motors
AC 3487




BELLY BANDS

Long eared belly band for motors
AC 3489

5 5/16" belly band for motors
AC 3488


**SHAFT ADAPTERS**

AC 3490 1/4" x 5/16"
AC 3491 3/8" x 1/2"
AC 3493 5/16" x 3/8"

**FAN BLADES****1/2" SHAFT EXTENSION****AC 3494**

AC 3470 10" CW
AC 3474 14" CW
AC 3477 18" CW

AC 3472 12" CW
AC 3475 16" CW
AC 3479 20" CW




MOTOR RUN CAPACITORS



MFD	VOLTS	PART #	MFD	VOLTS	PART #	MFD	VOLTS	PART #
4	370	AC 3500	25	370	AC 3509	20/15	370	AC 3526
5	370	AC 3501	35	370	AC 3513	25/5	370	AC 3529
7.5	370	AC 3502	35	440	AC 3514	30/5	370	AC 3532
10	370	AC 3503	40	370	AC 3515	35/5	440	AC 3535
15	370	AC 3505	40	440	AC 3516	45/5	370	AC 3520
15	440	AC 3506	45	370	AC 3519	45/5	440	AC 3517
			45	440	AC 3518			
			50	370	AC 3523			


DEFINITE PURPOSE CONTACTORS



FULL LOAD AMPS	COIL VOLTS	RESTRICTIVE AMPS PER POLE	POLE	PART #
30	24 Volts	40	Double Pole	AC 3540
30	24 Volts	40	Single Pole	AC 3541
40	24 Volts	40	Double Pole	AC 3542
40	24 Volts	40	Triple Pole	AC 3543


FAN RELAYS

REPLACE	COIL VOLTS	PART #
90-290Q	24	AC 3552
90-293Q	24	AC 3554
90-340	24	AC 3557
90-341	115/120	AC 3558
90-342	208/230	AC 3559
90-370	24	AC 3562
90-380	24	AC 3565




TIME DELAY RELAY

AC 3545 1 Main
AC 3546 2 Main
AC 3547 3 Main



MOTOR PROTECTOR


AC 3573




E-Z TRAP SWITCH

AC 3574














24 VOLT TRANSFORMER**AC 3575****THERMOCOUPLER**

Universal pilot light control. Used on gas water heaters, furnaces, and heaters.

AC 3577 24"**AC 3577A** 30"**HARD STARTS**

Increased compressor starting torque. Designed for use on permanent split capacitor single phase A/C and heat pump systems.

AC 3579 WSX-5**AC 3580** WSX-6**GAS CONTROL VALVE****AC 3578****LIMIT SWITCH****AC 3584** 1-L-150**AC 3585** L-170-40**FAN SWITCH 140****AC 3587**

DEFROST CONTROL BOARD**AC 3548****BLOWER CONTROL****AC 3589****RESTRING KITS****AC 3590** 2.5 KW**AC 3591** 5 KW**CERAMIC INSULATORS****AC 3593** 3/8 G**AC 3594** 3/8 F**AC 3595** 1/2 F**FUSE LINKS****AC 3596** Fuse link**AC 3597** D type**AC 3598** K series**FACE PLATE LINK****AC 3599****CONDENSATE PUMP****AC 3782****WHIPS****AC 3790** 4' #10**AC 3791** 6' #10


SUCTION DRIERS

For system clean-up after burn-out or major repair has been performed to assure a clean and dry system. Provides protection from solid contaminants and dirt and has superior moisture and acid removal capabilities.

AC 3715 1/2"

AC 3716 5/8"

AC 3717 3/4"





LIQUID LINE DRIERS

Designed to protect the refrigeration system from liquid and solid contaminants. Contains a special additive to aid in moisture and acid removal and protect against wax build up in the system.

AC 3721 1/4" SAE

AC 3723 3/8"

AC 3725 3/8" HP



SUCTION ACCUMULATOR

AC 3730 5/8

AC 3731 7/8



LIQUID SIGHT GLASS

1/4" S.A.E.


AC 3733



REVERSING VALVE 3/4"

AC 3734 Reversing Valve

AC 3739 Solenoid



DRYER

Longfellow

AC 3740




ADJUSTABLE LINE TAPS

Piercing needle automatically retracts from the line, thus permitting full unrestricted flow.

AC 3744 A-1 for 1/4"-5/16"-3/8" O.D. tube

AC 3745 A-2 for 1/2"-5/8" O.D. tube

AC 3746 A-3 for 3/16"-1/4" O.D. tube




SOLDER ON VALVE

Copper to copper self-piercing access valve. Steel pin w/core penetrates line and is locked into valve body simply by tightening cap.


AC 3748 6S

AC 3749 10S



ACCESS TEE

Copper tee w/access valve body brazed on.



ACCESS EXTENSION

AC 3758 1/8


AC 3559 3/16



PART #	SIZE	PART #	SIZE
AC 3751	1/4	AC 3755	5/8
AC 3752	3/8	AC 3756	7/8
AC 3753	1/2	AC 3757	5/16
AC 3754	3/4		

VALVE CORES

AC 3765




VALVE CAPS

AC 3766







TERM-LOCK**AC 3695** 12 gauge**AC 3696** 10 gauge**COPPER TUBING**

PART #	SIZE	PART #	SIZE
AC 3400	1/4 OD	AC 3403	5/8 OD
AC 3401	3/8 OD	AC 3404	3/4 OD
AC 3402	1/2 OD	AC 3405	7/8 OD

**PIPE INSULATION**


PART #	SIZE	PART #	SIZE
AC 3412	3/8	AC 3416	7/8
AC 3414	5/8	AC 3417	1 1/8
AC 3415	3/4		

**INSULATION TAPE
AC 3420****INSULATION CORK TAPE
AC 3421****TEFLON TAPE****AC 3398** 1"**AC 3399** 1/2"**SUPER EPOXEE**

A rapid set, fast cure requiring no heat all purpose bonding epoxy.



AC 3397**SILVER FLUX****AC 3392****HEAT PASTE**

Protective heat sink compound. Protects valves, equipment and other heat sensitive items from heat transfer from brazing, soldering and welding.

AC 3393

SILVER SOLDER

Silver alloy soldering sticks.

AC 3394 5%
AC 3395 15%**EMORY CLOTH****AC 3391****SPOUT OILER**

All purpose oil w/telescoping spout

AC 3384**REFRIDGERATION OIL****AC 3386****VACUUM PUMP OIL****AC 3124** 32 oz**LEAK DETECTOR**

Clinging formula allows detection of microscopic gas leaks in any pressurized gas system


**SLUDGE BUSTER**

Controls growth of slime and odor in air conditioning drain pans.

AC 3382**COIL BLASTER****AC 3379****COIL CLEANERS****AC 3375** Foaming
AC 3376 Acid - Foaming coil cleaner and brightener
AC 3378 Brown - Non acid foaming coil cleaner and brightener


PROPANE TANK KIT

AC 3429



PROPANE TANK

AC 3430




MAPP GAS

AC 3431




STRIKER

AC 3433




ACETYLENE REGULATOR

AC 3451




NITROGEN REGULATOR

AC 3453



OXYGEN REGULATOR

AC 3454



BLOW GUN WITH ADAPTER

AC 3452



ACETYLENE

PART #	SIZE	TYPE
AC 3436	MC	Tank only
AC 3437	B	Tank only
AC 3445	MC	Refill only
AC 3446	B	Refill only

**OXYGEN**

PART #	SIZE	TYPE
AC 3439	20	Tank only
AC 3440	40	Tank only
AC 3447	20	Refill only
AC 3448	40	Refill only

**NITROGEN**


PART #	SIZE	TYPE
AC 3442	20	Tank only
AC 3443	40	Tank only
AC 3449	20	Refill only
AC 3450	40	Refill only

**TORCH SET WITH STAND****AC 3455**

TORCH TIPS

AC 3458 # 2 tip

AC 3460 #4 tip



OXYGEN AND ACETYLENE HOSES

AC 3465



CHARGING HOSES

AC 3331 3'

AC 3332 5'

AC 3333 6'

AC 3334 3' Hose Set



SERVICE MANIFOLD

AC 3330



HIGH SIDE GAUGE

AC 3335



LOW SIDE GAUGE

AC 3336



CAUDILL
SUPPLY, Inc.

RECOVERY UNIT

AC 3360



RECLAIM CYLINDER

AC 3363 30 Lb cylinder

AC 3364 50 Lb cylinder



HVAC COURSE

Technical certification self study course for the EPA universal card exam.

AC 3366



EPA AUTO COURSE

Technical certification self study course for the EPA automobile card.

AC 3302



EPA TEST ONLY

AC 3367



CAUDILL SUPPLY, Inc.

**FREE Same Day Delivery of
Maintenance Supplies**

- Air Conditioning
- Hardware
- Locks
- Plumbing
- Appliance
- Electrical
- Pool

CHECKOUT OUR PRICES!

Call or Come by...

**5571 Los Santos Way
Jacksonville, FL 743-3000**

THERMOMETERS

- AC 3304** Pocket
AC 3305 Digital pocket thermometer




FIN COMB

- AC 3306** PH-17
AC 3307 Deluxe




FLARING/SWEDGING TOOL

- AC 3308**



SWEDGING TOOL

- AC 3309**




DIGITAL ELECTRICAL TESTER

- AC 3311**



CLAMP ON METER

- AC 3313**



DIGITAL AMP METER

Clamp on meter

- AC 3314**




GAS DETECTOR

- AC 3316**



HALOGEN LEAK DETECTOR

AC 3318



VALVE CORE TOOLS

AC 3321 Small

AC 3322 Large



SERVICE WRENCH

AC 3325



R-134A CHARGING HOSE

AC 3329



NIT SLUDGE SUCKER


Does not include nitrogen bottle

AC 3330



ACCESS CONTROL VALVE

AC 3337




HOSE GASKET

AC 3338




CORE DEPRESSOR

AC 3339



QUICK CONNECT

AC 3341



FREEZE 12 CAN ADAPTER

AC 3340



FREEZE 12 HOSE ADAPTER

AC 3343



R-134A ADAPTER

1/4" F x 1/2" M

AC 3345



R-134A ADAPTER

1/2" F x 1/4" M

AC 3346



R-134A FREON

12 OZ can

AC 3348

30 LB


AC 3354



R-22 FREON

AC 3350



R-12 FREON**AC 3352** 12 OZ can**AC 3354** 30 LB**FREEZE 12****AC 3356** 12 OZ can**AC 3357** 30 LB**FILTERS**

PART #	SIZE	CASE QTY	PART #	SIZE	CASE QTY
AC 3000	10 X 20 X 1	24	AC 3019	16 X 20 X 1	24
AC 3004	12 X 20 X 1	24	AC 3021	16 X 25 X 1	24
AC 3006	12 X 24 X 1	24	AC 3023	18 X 18 X 1	24
AC 3008	14 X 18 X 1	24	AC 3024	18 X 20 X 1	24
AC 3009	14 X 20 X 1	24	AC 3025	18 X 24 X 1	24
AC 3011	14 X 25 X 1	24	AC 3027	18 X 25 X 1	24
AC 3013	15 X 20 X 1	24	AC 3029	20 X 20 X 1	24
AC 3017	16 X 16 X 1	24	AC 3031	20 X 25 X 1	24
AC 3018	16 X 18 X 1	24			

HOG HAIR

AC 3040 20' X 30' Roll


AC 3041 25' X 30' Roll



POLY ROLL


20' X 135' Roll

AC 3043




TAB CLIPS

AC 3110




TAB LOCK COLLARS

PART #	SIZE	PART #	SIZE
AC 3100	4"	AC 3106	10"
AC 3102	6"	AC 3107	12"
AC 3103	7"	AC 3108	14"
AC 3103B	8"	AC 3109	16"




COLLAR RINGS

PART #	SIZE	PART #	SIZE
AC 3112	12"	AC 3119	8"
AC 3115	4"	AC 3121	10"
AC 3117	6"		







FLEX DUCT

PART #	SIZE	PART #	SIZE
AC 3130	4"	AC 3135	10"
AC 3131	6"	AC 3136	12"
AC 3132	7"	AC 3137	14"
AC 3133	8"	AC 3138	16"

**COLLAR BOXES**

PART #	SIZE	PART #	SIZE
AC 3140	8 x 4 x 4	AC 3144	10 x 6 x 7
AC 3142	10 x 6 x 6	AC 3145	12 x 6 x 7
AC 3143	12 x 6 x 6	AC 3147	14 x 6 x 8

**REG BOX BOOT CLIPS****AC 3150****BOX MED TRI 15****AC 3160****BOX (RED)**
18 X 16 X 14**AC 3161****BOX RETURN F/G****AC 3162**


DUCT TAPE

AC 3170 GP
AC 3171 Black




FOIL TAPE (UL)

AC 3174



DUCT BOARD

AC 3175 1" X 10'
AC 3181 1 1/2" X 10'
AC 3183 1/2 Sheet 1"



1 X 3 ANGLE

AC 3176



CLOTH HANGING STRAP


AC 3178



WHITE MASTIC


1 Gal

AC 3180



PANDUIT STRAP

AC 3185



LAY IN GRILLE


24 x 24 Grill

AC 3290




ADJUSTABLE GRILLE CEILING/WALL

PART #	SIZE	PART #	SIZE
AC 3215	8 X 4	AC 3221	12 X 6
AC 3217	10 X 6	AC 3224	14 X 6
AC 3219	10 X 8	AC 3225	14 X 8




FLOOR GRILLE

PART #	SIZE	PART #	SIZE
AC 3189	8 X 4	AC 3191	10 X 4
AC 3190	10 X 6		




STAMP GRILLE

PART #	SIZE	PART #	SIZE
AC 3230	8 X 4	AC 3252	10 X 10
AC 3232	10 X 6	AC 3209	12 X 12
AC 3236	14 X 6	AC 3260	16 X 16
AC 3264	24 X 12	AC 3206	20 X 20



RETURN GRILLE WITH FILTER

PART #	SIZE	PART #	SIZE
AC 3276	20 X 16	AC 3274	18 X 14
AC 3268	12 X 12	AC 3275	18 X 18
AC 3270	12 X 24	AC 3281	24 X 10
AC 3272	16 X 16	AC 3277	20 X 20



NOTES

[illegible]